

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(ibm near2 software near2 technical near2 document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:47
L2	1	(qconsole) and default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
L3	4054	(device near2 authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
L4	162	(device near2 authentication) and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
L5	68	(device near2 authentication) and console and (user near2 authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:38
L6	409	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:39
L7	158	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:39
L8	149	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:40
L9	124	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator and control and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:40
L10	114	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:45

L11	0	iseries with console with security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:41
L12	2	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator and control and password and secure and eke	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:45
L13	114	(device near2 authentication) and (user near2 authentication) and encrypt\$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:53
L14	79	(device near1 authentication) and (user near1 authentication) and encrypt\$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
L15	4	(device near1 authentication) with (user near1 authentication) and encrypt\$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 16:59
L16	0	((device near1 authentication) with (operator near1 authentication)) and encrypt\$ and client and server and operator and control and password and secure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
L17	0	((device near1 authentication) with (operator near1 authentication)) and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:00
L18	7	((device near1 authentication) and (operator near1 authentication)) and encrypt\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:01
L19	12	((device near1 authentication) and (operator near1 authentication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:31
L20	1127	(console near1 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:32

L21	2	("5241299").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:33
L22	0	(cryptographic with protocol with for with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:34
L23	3	(cryptographic with protocol with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:37
L24	0	(cryptographic with protocol with secure with communications).ti. and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
L25	18736	(cryptographic with protocol with secure with communications).ti. an	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
L26	0	(cryptographic with protocol with secure with communications).ti. and (device with authent\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:38
L27	3	(cryptographic with protocol with secure with communications).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:40
L28	2	ep-535863-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:41
L29	33	(network with attached with device) with authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42
L30	5	(network with attached with device) with authent\$ and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42

L31	0	(network with attached with device) with authent\$ and cosole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:42
L32	5	(network with attached with device) with authent\$ and console	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:43
L33	4	(network with attached with device) with authent\$ and operator and (user with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:43
L34	364	(network with device) with authent\$ and operator and (user with authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:44
L35	322	(network with device) with authent\$ and operator and (user with authentication) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:44
L36	1	(authentication with EKE with encryption)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:45
L37	15	(authentication with EKE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 17:45